
We are slowing down so that you can really take off. Slow down belts for the printing industry.







Slow down belts

Description

Dimensions

Drawing number

Esband item number

Outside > Material

Outside > Surface
Running side > Material

Running side > Surface

possible colours

Slow down belt white

254/247 x 10 x 3,0 mm

SLB.0.02 01072048

NK white

NK white ground

HT 63 white

smooth

white, blue

\$

Slow down belt light grey

254/247 x 10 x 2,2 mm

SLB.0.08 01072149

01072149 NBR light grey

ground

HT 63 white smooth

leight grey

Slow down belt white

254/247 x 10 x 3,5 mm

SLB.0.05 01072578

SI white

ground HT 63 white

smooth

white, blue

Slow down belt white

254/247 x 20 x 2,5 mm

SLB.0.06 01072580

SI white

ground HT 63 white smooth

white, blue

Slow down belt

254/247 x 10 x 2,2 mm

SLB.0.07 01072581

SI white ground

HT 63 white smooth

white, blue

Slow down belt white

250/215 x 20 x 3,5 mm

SLB.0.04

01072582 SI white

ground

Elastic textile

white, blue

Slow down belt grey

250/230 x 20 x 2,5 mm


SLB.0.01

01072047

PU grey ground

Elastic textile

grey, blue, red



Slow down belt black

239/233 x 16 x 2,0 mm

01031251 Neoprene black ground HT 63 white smooth

black



Slow down belt blue

210 x 14 x 4,0 mm

01011814 NBR blue ground CR black profiled

blue



Slow down belt black

242/239 x 20 x 1,45 mm

01066039 Neoprene black ground HT 63 white smooth

black

There are belts – and there are Esband belts. Discover the difference.

By using Esband slow down belts you can be assured that your print sheets will be slowed down safely and precisely.

What makes them even more special is the endlessly manufactured base material without any junction and the fact that they are proven to be durable and reliable in every situation.

Advantages

- high-quality materials
- smooth running performance
- long service life
- high tear resistance
- longitudinal stability
- high-end and precise special processing
- excellent running characteristics on curves

Excellent quality – right from the beginning

All products of the Max Schlatterer GmbH & Co. KG are without exception "made in Germany".

We focus on quality! There is a variety of individual tests starting from the raw material up to the final control before shipping an Esband belt.



Further paper transport and machine belts

For paper processing and paper handling Esband offers belts with various degrees of elasticity, high ozone resistance, high breaking strength or low elongation, based on your requirements.

Find out more at

https://esband.de/en/industry-specific-solutions/paper





Max Schlatterer GmbH & Co. KG Robert-Bosch-Str. 9 89542 Herbrechtingen Germany Phone +49 (0) 73 24 / 15-0 Fax +49 (0) 73 24 / 15-280 info@esband.de www.esband.de



